

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1109	((translat\$3 convert\$3 transform\$3) with (format language\$1) with (message\$1 request\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:25
S2	702	((((translat\$3 convert\$3 transform\$3) with (format language\$1) with (message\$1 request\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:04
S3	180	(((((translat\$3 convert\$3 transform\$3) with (format language\$1) with (message\$1 request\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and client\$1) and (connector\$1 transformers\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:05
S4	157	(((((translat\$3 convert\$3 transform\$3) with (format language\$1) with (message\$1 request\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and client\$1) and (metadata metamodel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:01
S5	357	((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)).ab. and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:03
S6	19	((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)).ab. and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and (metadata metamodel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:04
S7	4904	((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:03

S8	3133	((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:04
S9	460	(((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1)) and (meta\$1data meta\$1model))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:04
S10	447	(((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1)) and (meta\$1data meta\$1model)) and request\$1 and (response\$1 result\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:05
S11	262	((((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1)) and (meta\$1data meta\$1model)) and request\$1 and (response\$1 result\$1)) and (connector\$1 transformer\$1 adapter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:10
S12	2	"6499036".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:10
S13	1	"5872971".PN.	USPAT	OR	OFF	2004/06/09 17:19
S14	1	"5870545".PN.	USPAT	OR	OFF	2004/06/09 17:20
S15	1	"5854750".PN.	USPAT	OR	OFF	2004/06/09 17:20
S16	1	"5870545".PN.	USPAT	OR	OFF	2004/06/09 17:21
S17	1	"5872971".PN.	USPAT	OR	OFF	2004/06/09 17:21
S18	1	"5787300".PN.	USPAT	OR	OFF	2004/06/09 17:21
S19	1	"5732270".PN.	USPAT	OR	OFF	2004/06/09 17:21

S20	176	((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 16:28
S21	60	((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1))) and ((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 result\$1 response\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 17:18
S22	2	"20020038335".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 16:56
S23	2	"20030163585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 16:58
S24	2	"20020078010".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 16:58
S25	29212	((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1))) "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 17:18
S26	22	((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1))) and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 17:18

S27	74	(((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 17:23
S28	2	"6115040".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 10:33
S29	2	"20030043395".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:48
S30	2	"20020002577".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:51
S31	1	"20040111464".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:52
S32	2	"20020038335".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:52
S33	2	"20030163585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:52
S34	275277	((convert\$3 transform\$3 transl\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:24
S35	205042	((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:50

S36	14895	((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1 and client\$1 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:51
S37	903	(((((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:25
S38	620	(((((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:25
S39	352	((((((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:24
S40	228	((((((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:55

S41	31	(((((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:55
S42	83	(((((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:04
S43	35	(((((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:19
S44	56	(((((convert\$3 transform\$3 transl\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:21
S45	216026	((convert\$3 transform\$3 transl\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:24

S46	870	((convert\$3 transform\$3 translats\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:24
S47	459	((((convert\$3 transform\$3 translats\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:25
S48	43	(((((convert\$3 transform\$3 translats\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))) and ((legacy stand\$1alone) adj2 (application\$1 program\$1)) and (client\$1 user\$1) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:31
S49	12	((((((convert\$3 transform\$3 translats\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))) and (client\$1 user\$1) and server\$1) and (pointer\$1 same reference\$1) and (input\$1 same output\$1 same parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:32
S50	323	(((((convert\$3 transform\$3 translats\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))) and (client\$1 user\$1) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:35
S51	2	"20020038336".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 17:40
S52	2	"20030191970".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 15:54
S53	2	"6738975".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 15:54

S54	2	"6094688".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 15:55
S55	1	"20030191970".pn. and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:42
S56	2	"6738975".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:43
S57	2	"6094688".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:43
S58	11	"345"/\$.ccls. and (legacy adj (application1 program\$1)) and (GUI\$1 front\$1end) and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:28
S59	8	"345"/\$.ccls. and (legacy adj (application1 program\$1)) and (GUI\$1 front\$1end) and monitors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:29
S60	11	"345"/\$.ccls. and (legacy adj (application1 program\$1)) and (GUI\$1 front\$1end)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:29
S61	13	"345"/\$.ccls. and (legacy adj (application1 program\$1)) and (GUI\$1 front\$1end browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:29
S62	78	"345"/\$.ccls. and (legacy adj (application\$1 program\$1)) and (GUI\$1 front\$1end browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:29
S63	76	("345"/\$.ccls. and (legacy adj (application\$1 program\$1)) and (GUI\$1 front\$1end browser\$1)) and (display monitor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:30

S64	407	((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)).ab. and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 09:52
S65	2836	719/310,315,316,319,320,328, 329.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 09:52
S66	18	S64 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 09:52
S67	309	(((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone))) and server\$1 and (client\$1 user\$1)) and (meta\$1data meta\$1model)) and request\$1 and (response\$1 result\$1)) and (connector\$1 transformer\$1 adapter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:07
S68	30	S65 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:07
S69	11	("345"/\$.ccls. and (legacy adj (application\$1 program\$1)) and (GUI\$1 front\$1end browser\$1)) and (display monitor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:15



Web Images Groups ^{New} News Froogle more »

convert transform request application serve

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 5,140 for convert transform request application server connector metadata legacy 2000 lang

WebSphere Journal

... a Web site and then propagate the change to the ... 2. Propagate the **request** to the appropriate systems, using ... For this example, we will **transform** the message into ...
sys-con.com/story/?storyid=43416&DE=1 - 60k - [Cached](#) - [Similar pages](#)

IC Online - XML Products

... interbindIBX 1.2 could be subject to change. ... Folders can also help **transform** existing networks ... gateway, logistics, reporting, quotation **request**, and factoring. ...
www.computer.org/internet/xml/xml.prod.htm - 52k - [Cached](#) - [Similar pages](#)

Position-Dependent Services Using Metadata Profile Matching

... is that the user's position can change between requests ... Java, C++, Javascript), we can readily **transform** XML from ... As a **request** travels over the network from ...
www.isoc.org/inet2000/cdproceedings/3a/3a_3.htm - 49k - [Cached](#) - [Similar pages](#)

[PDF] Choosing a J2EE application server for your commercial software ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... platform supporting J2EE when your needs change. ... applications to parse and **transform** XML documents. ... Language (WSDL) is automatically generated upon **request**. ...
www.macromedia.com/software/jrun/whitepapers/pdf/jr4_isv_whitepaper.pdf - [Similar pages](#)

Merging XML Technologies

... into the original format to be transparent to the change. ... us to take our XML documents and **transform** them into ... the Oracle XSU to pull the **requested** data from ...
www.idealliance.org/papers/xml2001papers/tm/web/04-05-02/O4-05-02.htm - 47k - [Cached](#) - [Similar pages](#)

Microsoft TechNet: Host Integration Server 2000 Product Overview

... developers the tools they need to **transform** the Web ... a gateway device between them that can **convert** from one ... or Logical Unit pools that the client can **request**. ...
www.microsoft.com/technet/prodtechnol/host/evaluate/hiserv2k.mspx - 101k - [Cached](#) - [Similar pages](#)

[PDF] Novell exteNd Composer SAP Connect

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... SAP component is designed to map, **transform**, and transfer ... an SAP function which processes **request** data and ... example, you may have an **application** that retrieve a ...
www.novell.com/documentation/ig/extendcomposer42/pdfdoc/SAPConnectUserGuide.pdf - [Similar pages](#)

[PDF] Oracle Application Server 10g

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... **convert** syntax), **transform** (**convert** semantics), and ... and Schemas, enterprise applications, or databases. ... While Oracle **Application Server** ProcessConnect complies ...
www.oracle.com/technology/products/ias/pdf/10g_904_nf_wp.pdf - [Similar pages](#)

Cover Pages: XML Articles and Papers. July-September 2000.

... On every ASP **request**, we are loading from four to ... structured data set each time there is a change. ... content formats – and could possibly **transform** the messages ...
xml.coverpages.org/xmlPapers2000Q3.html - 101k - [Cached](#) - [Similar pages](#)

Content Management, XML, and Information Technology News - Gilbane ...

... that occurs within Livelink, such as a change in status ... on the content of these fields

and **transform** the fields ... can download the patch directly or **request** a CD ...

gilbane.com/content_management_news.pl/2000/3/content_management_news.html - 94k - Jan 19, 2005 -

[Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! [Google Desktop Search](#): Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google